## **S595 Skid-Steer Loader**

Year(s) of Production: undefined

Non-Current Model: See the current <u>S66 Skid Steer Loader</u>

**Shop Parts, Fluids & More** 

**Service Schedules** 

**Order Manuals** 

**Operator Training** 

**Used Inventory** 

S595 T4

Tier 4

Liquid

**Engine Fuel** 

**Engine Cooling** 

**Emissions Tier (EPA)** 

## **S595 Specifications**

S595 Key Specifications
S595 T4
Horsepower
74 hp
Rated Operating Capacity (ISO)
2,200 lb
Operating Weight
6793 lb
Auxiliary Std Flow
17.1 gal/min
Auxiliary High Flow
26.7 gal/min
Joystick Control
Optional
▲ Engine

Diesel
Horsepower
74 hp
Turbocharged Engine
yes
Performance
S595 T4
Rated Operating Capacity (ISO)
2,200 lb
Tipping Load
4400 lb
Operating Weight
6793 lb
Travel Speed
7.4 mph
Travel Speed (2-speed option)
11 mph
<ul> <li>Capacities</li> </ul>
S595 T4
Fuel Tank
24.8 gal
▲ Hydraulic System
S595 T4
System Relief @ Quick Couplers
3,500 psi
Auxiliary Std Flow
17.1 gal/min
Auxiliary High Flow
26.7 gal/min
▲ Dimension
S595 T4
Length 133 in
133 in  Length without Attachment
104.6 in
Length with Standard Bucket
133 in

Width	
65.2 in	
Width (with bucket)	A C K
68 in	
Height	
77.8 in	
Height with Operator Cab	
77.8 in	
Height to Bucket Hinge Pin	
119 in	
Reach @ Maximum Height	
32.6 in	
Turning Radius	
79.7 in	
Wheelbase	
42.6 in	
▲ Features	
S595 T4	
Joystick Control	
Optional	
Air Conditioning	
Optional	
Adjustable Seat	
Standard	
Backup Alarm	
Standard	
BICS System (Interlock)	
Standard	
Cab Enclosure	
Optional	
Sound Option	
Optional	
Cab Heater	
Optional	
Operating Lights	
Standard	
Parking Brake	
Standard	
Radio	

Optional	
Rear Window	
Standard	
Top Window	
Standard	
Lift-Arm Support	
Standard	
Seat Belt	
Standard	
Suspension Seat	
Standard	
Two Speed Travel	
Standard	
Deluxe Instrumentation	
Optional	
Engine Shutdown	
Standard	
Hydraulic Bucket Positioning	
Optional	
High Flow Option	
Optional	
Auxiliary Hydraulics	
Standard	
Spark Arrestor Muffler	
Standard	
Bob-Tach Attachment System	
Standard	
Power Bob-Tach	
Optional	
ACS (Switchable Controls)	
Optional	
Ride Control	
Optional	
Rear Hydraulics	
Optional	
Horn	
Standard	

## **Search for Parts**

Q Search by Serial Number, Part Number or Keyword

Search \_7



WARNING: This product can expose you to chemicals including engine exhaust (including diesel engine exhaust when equipped), lead and lead compounds, mineral oils, soots, phthalates, and carbon monoxide which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.